












My Favourite Lighting Products Award 2015





我最喜愛照明產品大獎 2015





Entries of Architectural / Commercial Lighting
 建築/商業照明 - 參選產品

Ref	Exhibitor	Product Name	Product Description	Special Function	Product Photo
A-001	Acusense Devices Ltd Booth No: 3D-C15, HKCEC	LED High Bay Lamp	<p>LED High Bay Lamp - Perfect substitution for Mercury /HID. It can be fixed either with E39 socket or bracket type.</p> <p>Size & Weight: H63.5mm x Ø317mm, 2kg</p>	The lamp can be worked under operation environment temp. -60°C, long life, less energy consumption & light weight & easy installation.	
A-002	AHL Lighting Booth No: 1C-B42, HKCEC	Led Pixel	<p>AHL Media Pixel is a full-color LED lighting fixture used for video screens, architectural decorations and stage events, but not for illuminating large spaces. The product integrates with architectural facades to display complex, dynamic and colorful images and videos on building surfaces.</p> <p>Size & Weight: 16MM 6G</p>	Best used for installing on the exterior walls of buildings, AHL Media Pixel has a flexible strip design, allowing for the full customization of LED pixel sizes and pitch distances. Users can conveniently incorporate it into the shape of the building surface, while presenting both 2D and 3D effects. The device's strong design integrates well with steel, stone and other building materials, and can withstand the impact of construction.	
A-003	AHL Lighting Booth No: 1C-B42, HKCEC	Media Pixel	<p>AHL Media Pixel is a full-color LED lighting fixture used for video screens, architectural decorations and stage events, but not for illuminating large spaces. The product integrates with architectural facades to display complex, dynamic and colorful images and videos on building surfaces.</p> <p>Size & Weight: 25MM 10G</p>	Best used for installing on the exterior walls of buildings, AHL Media Pixel has a flexible strip design, allowing for the full customization of LED pixel sizes and pitch distances. Users can conveniently incorporate it into the shape of the building surface, while presenting both 2D and 3D effects. The device's strong design integrates well with steel, stone and other building materials, and can withstand the impact of construction.	





A-004	Aledeco Lighting Company Ltd Booth No: 5B-B36, HKCEC	ALED-T5H	ETL listed for indoor & outdoor wet applications, fits standard North American junction box, all trim available in all styles & colors: louver, scoop and window	Can be Recessed Step Lighting--Walkway Lighting--Courtyard Lighting--Path Lighting	
A-005	Aledeco Lighting Company Ltd Booth No: 5B-B36, HKCEC	ALED-RD12	cETLus Listed Small Recessed LED Puck/Step/Ceiling down Light/Outdoor deck light, low power 1W, versatile--Available with Square Trim Rings, Round Trim Rings in both Metal or Plastic, Scoop Option also available. Available in white, black, brushed nickel and bronze.	Can be used in path lighting, cabinet lighting, outdoor lighting, also very durable as there are no delicate filaments to break or burnout.	
A-006	Anhui Coreach Electronic Technology Co Ltd Booth No: ED-E19, HKCEC	LED Glass Tube Light	LED glass tube light, 24W,150lm/w, 3600lm,80Ra,PF:0.9, beam angle:360degree. Size & Weight: Φ26*1498mm,0.6kg	Good heat sink, high luminous efficiency, long lifetime, warranty: 3 years.	
A-007	Beghelli Asia Pacific Limited Booth No: 1D-C36, HKCEC	UP LED Exit	Apparatus for emergency lighting, characterized by a great flexibility of use. With less than 20mm thickness was obtained a strong and innovative aesthetic impact. Compactness, high performance, installation flexibility and IP65 rated making of UP LED equipment ideal for any type of installation. Available in SE and SA, each code will have the opportunity to select the operating time (1h, 2h, 3h) modifying the outgoing flow. The entire range is equipped with all the accessories for the transformation to signs with visibility 20m and 30m.	<ol style="list-style-type: none"> 1. SmartSwitch emergency time 2. Light uniformity 3. Long life 4. Supper slim 5. Multifunction installing support 	
A-008	Cledos International Ltd Booth No: 1D-C39, HKCEC	Udara	Udara shoplights are the perfect answer to replace fluorescent tubes and their fixtures. Utilizing innovative airLED(TM) technology for thermal management and bypassing the need for heat sink, our chip on grid design can be streamlined into an attractive shoplight to be installed in office as well as residential spaces. This lightweight design is easy to install and versatile to use. Size & Weight: 120.17cm x 10.16cm x 10.57cm, 890g	<ul style="list-style-type: none"> · Lightweight Streamlined Design · 30,000 hour life as compared to 6,000 hours for a typical fluorescent tube · 10 year warranty 	

A-011	<p>HongKong Ervan Group Limited</p> <p>Booth No: 1D-A40, HKCEC</p>	LED UFO Highbay	<p>Unique UFO high bay light brings totally new concept of LED lighting, we are not just offering lighting products, but more beautiful feelings.</p> <p>Size & Weight: 450X300MM, 8KG</p>	excellent heat dissipation, stable quality with high performance LED driver and SMD LEDs, multiple installation for industrial area, saving 80% energy	
A-012	<p>HongKong Ervan Group Limited</p> <p>Booth No: 1D-A40, HKCEC</p>	LED Tri-proof	<p>Best solution to replace the traditional IP65 fixture with fluorescent tubes</p> <p>Size & Weight: 1200mm, 5kg</p>	IP66, IK10, easy installation, water-proof, dust-proof, corrosion-proof	
A-013	<p>Shun Size International Development Limited</p> <p>Booth No: GH-E14, HKCEC</p>	Magnet LED Mini Light Tube	<ul style="list-style-type: none"> • compact design • high light intensity • portable and easily fix by magnet • adjustable projection angle • 3 levels of brightness • different colors available • USB rechargeable • wide range of application <p>Size & Weight: 230x20x37mm 165g</p>	<ul style="list-style-type: none"> • Housing: aluminum body • Dimension: 230(L) x 20(W) x37(H)mm • Light Source: SMD 5730 LED • Color / CCT: cool white / 6500K • Light Output: 70 LM (max. level) • CRI: Ra > 80 • Power Input: DC 5V / 800mA • Power Consumption: 1W please run on the rechargeable battery and USB cord included. <p>APPLICATION EXAMPLES</p> <ul style="list-style-type: none"> • car baggage compartment • car repairing • server • kitchen • refrigerator • desktop and etc. 	 <p>SHUN SIZE</p>

A-015	Ningbo Code Global Lighting Co Ltd Booth No: 5C-E19, HKCEC	LED Freezer Light	<p>Produktname product name : 1200mm LED freezer light distance100mm Artikelnummer article number : CDBJ1-L/R Material material : Aluminum Farbe colour : Silver Kabellänge length of cable 1.2m Trafo driver External Schalter switch No Schutzklasse safety class : IP65 Anzahl LED number of LED LED: 84pcs/lamp LED Typ type of LED LED: SMD LED2835 Nennspannung voltage : 24VDC Nominal Lampenleistung Nominal lamp power 11W Nennleistung (0,1 W Toleranz) Rated wattage (0.1 W tolerance) 11.5W Nominal Lichtstrom Nominal luminous flux 850Lm Nennlichtstrom Rated luminous flux 870Lm Nominal Lebensdauer Nominal life time 45000h Bemessungs Lampenlebensdauer Rated lamp life time 50000h Lichttemperatur Colour temperature (Kelvin) 6000K Aufwärmzeit bis zu 60% der vollen Lichtleistung Warm-up time up to 60% of the full light output 45000h</p> <p>Size & Weight: 1200*26.26*23.62mm</p>	<p>1,use small angle lens to concentrate the LED beam angle, more conducive to the display of goods for close range freezer and gain brightness evenly. 2, the body is integrally molded, better waterproof and dustproof effect. 3,LED technology, energy-saving 80% 4,working voltage is 24V, more safer 5,apply to large and close range walk-in freezer</p>	
A-016	Saco Lighting Limited Booth No: 3D-A05, HKCEC	G9 LED	<p>100lm/W dimmable ,ceramic G9 LED bulb, TUV CE & ETL,CETL certification,360 degree lighting angle;</p> <p>Size & Weight: 16*50mm ,12g</p>	Dimmable G9 LED bulb, good compatible for both front and back cut dimmer	
A-017	Sheenly Lighting Co Ltd Booth No: 5E-D16, HKCEC	Lotus - LED Bay Light	<p>Lotus adopts qualified super bright LED as light source, which is stable, long life and no UV & IR emission. The special designed aluminum housing is stylish and fashionable with excellent heat management. Integrated with Mean well latest HBG series driver, powered by low voltage constant current driver, which is safety, energy saving and long life. The whole structure well ensures IP65 waterproof and 5 years guarantee.</p> <p>Size & Weight: Ø388*172 & 7.25kg</p>	<p>Up to 100 lm/watt Unique appearance, innovative heat sink design Low operating temperature, makes it extremely versatile under different easy/hard operating conditions Innovative reflector-mounting-mechanism for instant beam angle adjustment Innovative heat sink design, no dust accumulation on the body, ventilated self-cleaning ability.</p>	
A-018	Weihai Dongxing Electronics Co Ltd Booth No: 5E-B31, HKCEC	Induction Highbay Light	<p>This induction Highbay light is commonly used in workshop and warehouse. Three power: 150w,200w and 250w for choice. Wide input voltage, 110-277V, 347V and 480V. High power factor ≥0.98 and low lumen decay. Long lifespan for 5 years.</p> <p>Size & Weight: φ570*H440mm, 8.1KG</p>	<p>Specially designed Gear Box, Greatly improved the IP grade, and expedite the heat dissipation, SKD is available. World's originator of intelligent variable-frequency ballast, instantly startup at -50°C~+70°C. Most comfortable light as Natural light at 10:00am, no glare, 5-year warranty & Real long lifespan.</p>	

A-019	Weihai Dongxing Electronics Co Ltd Booth No: 5E-B31, HKCEC	Induction Garage light	The induction Garage light is commonly used in parking lot. Three power: 40w, 60w and 80w for choice. Wide input voltage, 110-277V, 347V and 480V. High power factor ≥0.98 and low lumen decay. Long lifespan for 5 years. Specially designed outlook, Worldwide originator of intelligent variable-frequency ballast, can instantly start up at -50°C~+70°C. Size & Weight: φ393.9*278.5mm, 8KG	The induction lamp has appearance patent. Die-casting aluminum fixture, equipped with UV proof and semi-transparent PC cover. The die-casting aluminum fixture can fit traditional round, square and conical PC cover. Sensor Dimming, LED emergency function is available.	
A-020	Wide Loyal Industries Ltd Booth No: 1C-F35, HKCEC	SMD 5050 Strip Light	SMD 5050 Strip Light, 100-240V, 60LED/M, 20-22lm/LED, Size: 7.5*14.5MM, Cutting unit: 1M, IP44 Outdoor Use. Length: 50M per reel. LED colour available: White, Warm White, Red, Green, Blue, Yellow & RGB. Size & Weight: 7.5*14.5MM & 7KG	8 functions controller with remote are available for the RGB version. Apply with our tailor made accessories; the waterproof level can reach IP65. Super bright high lumen output. Max. loading: 100M	
A-021	Wide Loyal Industries Ltd Booth No: 1C-F35, HKCEC	LED Rope Light	LED Rope Light, 100-250V, 36LED/M, Dia. 13mm, Cutting unit: 1M, IP44 Outdoor Use. Length available: 6M reel, 10M reel, 20M reel, 45M reel, 50M reel & 100M reel. Available in 2 wires & 3 wires. LED colour available: White, Warm White, Red, Green, Blue, Yellow, Orange, Purple & RYGB. Size & Weight: Dia. 13mm & 17.4KG	8 functions controller is available for 2 wires & 3 wires version. Max. loading: 100M	
A-023	Zhongshan Feihao Lighting Factory Booth No: 8-C36, AWE	LED Flood Light	led flood light is a popular and nice stylish LED Item, it's most often use to urban light project and commercial light project etc. it is high light effect、 long life span, start up quickly、 energy saving、 no flicker、 no UV radiation Size & Weight: 115*85*80mm	,lamp housing is made by aluminum alloy die-cast、 toughened glass. B. convenient to carry、 automatic protection in charging, with car charger, and can adjust angle of light shine. B. convenient to carry、 automatic protection in charging, with car charger, and can adjust angle of light shine.	




A-024	Shenzhen Zhongchao Technology Co Ltd Booth No: 8-F26, AWE	LED 埋地噴泉燈	<p>LED 埋地噴泉燈是一種具備良好防水性能的環形的投光燈，其外殼採用不銹鋼和壓鑄鋁製作，光源為大功率的 LED，有單色（紅、綠、藍、白、黃）和全彩兩大類。本產品主要應用於人工噴泉景觀亮化，例如花園、公園、廣場、水族館、游泳池和池塘等。</p> <p>Size & Weight: 132mm*H66mm 內徑 26mm NG: 0.75kg</p>	<p>採用先進的 DMX512 獨立研發控制技術，使得單燈故障不影響其他燈正常工作；系統穩定性高，可遠端操控現場程式設計，可實現各種您想要的燈光效果；具備光色柔和，投射距離遠，防銹抗腐蝕，防水性能好等特點。</p>	
A-025	Shenzhen Zhongchao Technology Co Ltd Booth No: 8-F26, AWE	LED 洗牆燈	<p>LED 洗牆燈又叫線型 LED 投光燈等等，因為其外形為長條形，也有人將之稱為 LED 線條燈，主要也是用來做建築裝飾照明之用，還有用來勾勒大型建築的輪廓，其技術參數與 LED 投光燈大體相似，相對於 LED 投光燈的圓形結構，LED 洗牆燈的條形結構的散熱效果會更好一點。</p> <p>Size & Weight: L1000 * W60 * H35mm NG : 3kg</p>	<p>眾朝 LED 洗牆燈，外形獨特，精簡，代表性強，將現代建築與燈具巧妙的結合，極具觀賞價值。採用節能綠色環保的大功率高亮度 LED 光源，原裝進口晶片封裝，具有無紫外線、紅外線、熱輻射和汞污染，穩定性高、多色發光等優點。作為冷光源，LED 燈光不會使物品因照射產生褪色現象；節能效率高，比白熾燈節能 90%，比節能燈更節能 60%；顯色指數高，顯示最直觀、清晰，且色溫可選，光源壽命可達 50000 小時；燈體外殼最佳一體化的散熱功能，高導熱 6063 擠壓鋁型材，結構緊湊，表面陽極氧化處理；可靠矽橡膠密封，耐 150 度以上高溫，不老化，燈體密封性好，防水防塵，防護等級 IP65 以上；反射透鏡採用進口 PMMA 料注塑成形，耐溫高，透光性強，專業的配光設計，造型美觀，出光率高；玻璃採用 3MM 高透光鋼化超白玻璃；恒流驅動，穩定的整流，暫態啟動，0.85 以上功率因素，電源效率高，安全可靠；回應快，無頻閃，點亮後瞬間達到全光通量輸出固體光源，抗震性強，便於運輸及安裝，安全性高，發光方向性強，易於控制光線，有效提高照明系統的效率。造型優雅、精緻、美觀、結構簡單可靠，緊貼客戶需求感受，融入更多科技元素及人性化設計。</p>	
A-026	Ningbo Noon Sun Opto Co Ltd Booth No: GH-D21, HKCEC	Flood Light	<p>National Invention & Design Two Type Patents Products</p> <p>Size & Weight: 330x297x85.5mm 3.7kgs</p>	IP67, DIY COB	





A-027	Ningbo Noon Sun Opto Co Ltd Booth No: GH-D21, HKCEC	Work Lamp	National Invention & Design Two Type Patents Products Size & Weight: 330x400x245mm 5.3kgs	IP67, DIY COB, 5 meter cable with plug	
A-028	Torch Industrial Co Ltd Booth No: 5B-A43, HKCEC	Auto Sensor LED Down Light UFO-10W	Materials: Aluminum and plastic 700lm Luminous Flux/40,000hrs Warm color and white color Sensorial view: H 6m/V 2.5m Size & Weight: 17cm/220g	1.Suitable for office, dance hall, bar, exhibition, Art galleries and Entertainment lighting, home use, etc. 2.Easy to use and install 3.1 min adjustable time	
A-029	Aeon Lighting Technology Inc Booth No: 1A-F12, HKCEC	PAR30/PAR38 Waterproof Fixture Combo	Does outdoor fixture must be black? This PAR30/PAR38 waterproof fixture combo has 9 color choices, its colorful style add a sense of fun to life. The light source is well designed with patented heat dissipation management and waterproof structure to prolong LED's lifespan. Fixture is made with UV resistant materials, perfect for outdoor applications. Size & Weight: 196mm*150mm / 815g	<ul style="list-style-type: none"> • IP68 waterproof light source in non enclosed fixture, which increases heat dissipation and assures long lifespan. • Multiple installation methods, can be attached to the ground or installed with ground spike • Light source 110 lm/watt, working temperature from -40°C to 50°C. 	
A-030	Shenzhen Hitoplux Optoelectronic Co Ltd Booth No: 8-D37, AWE	LED Low Bay Light	<ul style="list-style-type: none"> • Patented design: Appearance Design Patent and Utility Model Patent. • Patented heat dissipation system guarantees stable performance. • Equivalent to 400~600W HID. • Top Brand Philips LED from Netherlands with LM80 certificated. • Selected constant current and voltage Mean Well driver with AC90-305V to fit most of different applications. • LED efficacy>130lm/W, system efficacy >110lm/W. • Aluminum alloy housing and electrostatic sprayed surface reaches good resistance to corrosion, complying with UL & CUL standard. • IP65 waterproof. • Easy installation and maintenance. • Dimming, Dali control and Microwave sensor functions available. • Long lifetime up to 50,000hrs, 5 year warranty. Designed to replace conventional LED High Bay Light and Metal Halide, HPS & Mercury Vapor, energy conservation and environment protection. Size & Weight: Φ399*H176mm/6.8kg	Good heat dissipation, with long lifespan 1. We adopt 212mm LED chip board on 150w, which is two to four times larger than competitors, and leads to higher efficiency of heat dissipation and a longer lifespan of the individual LEDs. 2. In addition, our heat sink has very large heat radiating area (7.7*1,000,000 mm ²), which can spread the heat to the air very quickly.	





My Favourite Lighting Products Award 2015





我最喜愛照明產品大獎 2015





Entries of Decorative Household Lighting
 室內裝飾照明 - 參選產品




Ref	Exhibitor	Product Name	Product Description	Special Function	Product Photo
D-001	Anhui Coreach Electronic Technology Co Ltd Booth No: ED-E19, HKCEC	LED Bulb Light	A60 led bulb light, 10W, AC85-265V,90lm/w 80Ra,950lm, PF:0.9,beam angle:270degree. Have appearance design patent. Size & Weight: 60*113mm,0.092kg	Good heat sink, high luminous efficiency, long lifetime, warranty: 3 years.	
D-002	AZ e-lite (HK) Limited Booth No: 5B-C02, HKCEC	AZEL Mono LED Lamp	Dimmable at a touch and removable from its base, the AZEL MONO Lamp can double up as mood light for your living room or table lighting for romantic at al fresco dining. What's more, with built-in Qi technology, you can even use your lamp to wirelessly charge your mobile phone simply by placing it on the lamp base. Size & Weight: 96(L)x50(W)x368(H)mm; 680g	Qi Wireless Charging The MONO lamp base functions as a charging pad for wireless charging of mobile devices based on the "Qi" wireless standard. By creating a magnetic field to induce voltage, "Qi" enables users to wirelessly charge their mobile devices	
D-003	AZ e-lite (HK) Limited Booth No: 5B-C02, HKCEC	Zigbee LED Downlight	With its independent general and ambient lighting, the Zigbee light caters to different context and occasions from commercial applications, offices, to controlling the lights to meet your personal living space needs. - Perfect fit for your modern interior Simply adjust your lighting with the remote that comes with an option to wall mount for convenience. Size & Weight: 4-inch round	<ul style="list-style-type: none"> - Simple and clean design; - Anti-dazzle design with a 30° cut-off angle provides visual comfort; - Downlight with adjustable CCT (correlated colour temperature); - Independent dimming, ON/OFF for downlight and ambient light; - Provides indirect light to highlight spaciousness of the environment; - Easy installation. 	



D-004	Cledos International Ltd Booth No: 1D-C39, HKCEC	Luft	<p>Luft A19 by Cledos utilizes innovative airLED(TM) technology for thermal management. Bypassing the need for heat sink, our chip on grid design allows for very little heat generation as well as heat dissipation. The bulb is cool to the touch and emits an even light at 100 lumens per watt. The sleek design allows for use with or without fixtures.</p> <p>Size & Weight: 11.5cm x 6.27cm , 52g</p>	<ul style="list-style-type: none"> · Lightweight Design · Cost Savings - up to 90% as compared to standard incandescent and 15-20% compared to standard LED's · 30,000 hour life as compared to 1,000 hours for a typical incandescent and 25,000 hours for standard LED's · 10 year warranty 	
D-005	DZR Limited Booth No: 3B-B08, HKCEC	LED Puck Light	<p>This new recess mounted light is 40 mm in dia. (a common hole boring size), with 3 x 0.1W led bulb. What's more to this light is the new light is now available with day/night function which means the application of the light has now just widened. Whether you use this light underneath kitchen cabinet / hallway / bedroom / children's bedroom / garage / storage room etc</p> <p>Size & Weight: 40mmDIAx19mmH</p>	<p>With the day/night feature added into this light you can now use this light anywhere in the house and is no longer restricted to use inside the cabinet. The day/night function of this light means during the day this light will not operate as there is sufficient light source. During the night time the day/night sensor in the light will sense low light source thus will activate the PIR to function when someone is in front or walk pass the light therefore not wasting any battery power when light is not needed.</p>	
D-006	Eastel33 Enterprises Limited Booth No: 3B-D33, HKCEC	S404	<p>⌘ The light is a battery-powered, wireless, motion sensor LED night light, very convenient to mount. ⌘ Simply insert 3 pcs AA batteries and attach this night light anywhere in minutes without an electrician. Mounting options include two double sided adhesive tapes, two screws and one mounting bracket.</p> <p>Size & Weight: 127*63*38mm/90g</p>	<p>⌘ Built-in photosensitive resistance and PIR sensor activates when both darkness and motion are detected. It automatically switches off 45 seconds after the last motion detected. ⌘ The light faces down and is reflected by the cover, so it makes no direct eye-contact with the light and it doesn't cause dazzling.</p>	
D-007	Eastel33 Enterprises Limited Booth No: 3B-D33, HKCEC	S101	<p>∅ The light is a battery-powered, wireless, motion-sensor LED night light, very convenient to mount. ∅ Simply inserts 3 pcs AA batteries and attach the night light anywhere in minutes without an electrician. It includes 2 types of mounting options, 3M adhesive tape with plastic hook or 2x screws with plastic hook.</p> <p>Size & Weight: 98x98x51mm/110g</p>	<p>∅ Built-in photosensitive resistance and PIR sensor, which activates when both darkness and motions are detected. The light automatically turns off after 30/60 seconds after last motion is detected. ∅ The fantastic and bright LED light can stick anywhere for hallways, stairways, bathrooms, baby rooms, bedrooms, closets, garages, attics, basements and emergency exit.</p>	



D-010	GlacialTech Inc Booth No: 3E-E22, HKCEC	LED Track Spot Light GL-TSL30	<p>GlacialLight, the LED lighting division of GlacialTech Inc., announces Track Lighting range with the GL-TSL30 LED spot light. With a black and gold finish, the GL-TSL30 is well suited for museum, art gallery, retail, and decorative home lighting. Besides the track lighting model, it also comes in surface mount and pendant mounting variants with dimming for greater lighting flexibility. The surface mount variation can be mounted to ceilings directly, or to floors, allowing walls or installations to be lit from below. The pendant rod option extends the spotlight down from the ceiling, for a different angle of illumination.</p> <p>Size & Weight: 235 x 210 x 95 mm, 1.25 kg</p>	<p>- Can rotate 360° horizontally and 90° vertically. - Efficient cold forged thermal design. -High system efficacy up to 93 lm/W. -Dimming available on surface and pendant mounts models. - CRI 80 standard for accurate color rendering and CRI 90 or 95 models ava.</p>	 <p>GL-TSL30</p>
D-011	Highstar (HK) Industrial Co Ltd Booth No: 3C-C09, HKCEC	LED Table Lamp	<ol style="list-style-type: none"> 1. LED lamp 2. Built-in rechargeable battery <p>Size & Weight: 170*170*390mm&0.48KG</p>	<ol style="list-style-type: none"> 1. Three mode function: white-yellow-natural 2. Adjustment light 3. Adjust time to turn off 	
D-012	Shun Sze International Development Ltd Booth No: GH-E14, HKCEC	Soft Bright LED Bulb	<ul style="list-style-type: none"> •instant start •direct replacement for common household incandescent and CFL lamps •high light intensity with low heat emitting •high energy saving benefits •environmental friendly (mercury free) •extremely wide view angle •long lifespan •All 5/6/7W LED bulbs have DIMMABLE and NON-DIMMABLE models <p>Size & Weight: 60×112mm 86g</p>	<ul style="list-style-type: none"> •LED Quantity: 8 pcs (5W) / 10 pcs (6W) / 12 pcs (7W) •Light Source: SMD 5630 LED •Color / CCT: warm white / 3200K •CRI: Ra 80 •Input Voltage: AC 110V - 240V •Rated Frequency: 50 / 60Hz •Light Output: 300 lumens (5W) / 370 lumens (6W) / 420 lumens (7W) •Power Consumption: 5W / 6W / 7W •View Angle: 270° •Lamp Holder: E26 / E27 •Certificate: UL, CE, FCC, C-TICK, RoHS DESIGN PATENT •Certificate of Registration of Design (HKSAR) 1200460.8 / 1200461.0 •Certificate of Design Patent (PRC) ZL 2012 3 0102580.7 / ZL 2012 3 0102577.5 •Certificate of Utility Model Patent (PRC) ZL 2012 2 0194932.0 	 <p>SHUN SZE</p>
D-013	Jiawei Technology (HK) Limited Booth No: 1E-B22, HKCEC	Electronic Ballast Compatible T8 LED Tube	<p>2000-2100lm light output with 18W power consumption Single-end power input wiring G13 base Excellent compatibility with most of the electronic ballasts in North America market</p> <p>Size & Weight: 1213L x 29W x 32H mm, 312g</p>		




D-014	Jowin Lighting Company Limited Booth No: 1E-C22, HKCEC	Cement Lamp			 <p>Cement lamp</p>
D-015	Jowin Lighting Company Limited Booth No: 1E-C22, HKCEC	Ceramic Lamp			 <p>Ceramic lamp</p>
D-016	Neon King Limited Booth No: 1D-A32, HKCEC	LED Globe Light	<p>LED Globe Light is a wonderful decorative light to create vintage, romantic and subtle atmosphere. Different sizes and different colors are available for different purposes.</p> <p>Size & Weight: Tailor-made size & weight</p>	<p>Super bright effect with less power consumption is an ideal product for both indoor and outdoor use.</p>	
D-017	Neon King Limited Booth No: 1D-A32, HKCEC	Dual LED Garland	<p>Dual LED Garland is an innovative product which can satisfy the needs of those who are looking for value for money Christmas decorative lighting. Its brand new design combines versatility and creativity, with a total of 24 built-in functions to generate different colours and visual effects.</p> <p>Tailor-made size & weight</p>	<p>The two chips embedded in Dual LED Garland make it possible to store 24 functions in one device and allow users to choose the colour of lighting. The 24-in-1 design is the first of its kind in the market.</p>	 <p>Dual Led 24 built-in functions</p>




D-018	Ningbo Code Global Lighting Co Ltd Booth No: 5C-E19, HKCEC	LED Ambient Light	ambient light kit with 2pcs 15' tubes, 2pcs 1m extension wires, IR receiver and remote control, 12v 1.5a power supply Size & Weight: 2KG	<ol style="list-style-type: none"> 1. Tube light kit, all lights use Mini USB connection. 2. IR Controller. 3. Color change under different speed. 4. Memory function. 5. Audio control. 6. Sleep Model. 7. Dimmer function 	
D-019	Ningbo Oumei Light Source Tech Co Ltd Booth No: ED-B20, HKCEC	LED Mirror Lamp	LED mirror lamp for bathroom: Material: Chrome aluminum Power: 3W IP44 CE ROHS Size & Weight: 240x145x30mm		
D-020	Shenzhen Glitter Optoelectronic Technology Co Ltd Booth No: ED-C13, HKCEC	LED Panel Light	<ol style="list-style-type: none"> 1. Italian Design, Fireproof Housing 2 Attractive Appearance, 2.0kg 3. High Luminous Efficiency, up to 130lm/w 4.0-10V dimmable/emergency version 5. Easy installation, can be installed like down light 6. CB, GS, ErP, CE, RoHS approval 2. Size: 595*595*53mm, Weight: 2kg		
D-022	Torch Industrial Co Ltd Booth No: 5B-A43, HKCEC	Auto Sensor LED Bulb Excel Model	Materials: Aluminum and plastic Long service life, high luminous efficiency. Designed to fit standard E26/E27/B22/GU10. Sensorial view: H 6m/V 2.5m Size & Weight: 120mm/90g	<ol style="list-style-type: none"> 1. Suitable for office, dance hall, bar, exhibition, Art galleries and Entertainment lighting, home use, etc. 2. Easy to use and install 3. 1 min adjustable time 	




D-023	Vincent Raya Co Ltd Booth No: 3B-C30, HKCEC	Ionic LED Desk Lamp	Input Voltage: 100-240V Power Consumption: 10W Ra: over 80ra Natural light, eye protection Energy saving, long life. "A breath of fresh air" with ionizer. Four modes for your choice: Reading/ office/relax/sleeping . Choice of colors from Natural to Cool White or a mix Slide to Dim	Air ionizers purify the polluted air by removing allergens and dust particles and neutralizing unpleasant odors. They can remove microbes such as mold spores, viruses and germs in the air. Ionic LED desk lamps can clean the air, neutralize odors from pets, cigarettes and other smells to create a cleaner and of course a brighter environment.	 <p>Ionic LED Desk Lamp</p> <ul style="list-style-type: none"> Modern energy saving LED desk lamp features with built-in air ionizers to provide a bright + clean environment. Air ionizers purify the polluted air by removing allergens and dust particles and neutralizing unpleasant odors. They can remove microbes such as mold spores, viruses and germs in the air. Ionic LED desk lamps can clean the air, neutralize odors from pets, cigarettes and other smells to create a cleaner and of course a brighter environment.
D-024	Xiamen Enshine Lighting Co Ltd Booth No: 5E-E33, HKCEC	LED Bulb	LED bulb YX-GB 15W, AC90-265V, 50/60Hz, Luminous Flux>1275lm, C.R.I>80, E27 Size & Weight: 65*65*128mm	LED as light source with low power consumption, lifespan 30-50k hours. Electromagnetic compatibility in design, mercury free, and environment friendly.	
D-025	Xiamen Enshine Lighting Co Ltd Booth No: 5E-E33, HKCEC	LED Candle	LED Candle YX-CD1 6W, AC90-265V, 50/60Hz, 2700K-6500K, Luminous Flux>480lm, C.R.I>80, E14 Size & Weight: 37*98mm	LED as light source with low power consumption, lifespan 30-50k hours. Electromagnetic compatibility in design, mercury free, and environment friendly.	

D-026	<p>Zhongshan Jumei Lighting Co Ltd</p> <p>Booth No: 3C-C12, HKCEC</p>	ARMS	<p>Complete LED collection (ceiling lamp, table lamp, floor lamp) made with aluminum structure (available in different colors) and opal plastic white diffusers. Its very simple, but interesting design, makes every item of this collection a small artwork.</p> <p>Size & Weight: diameter 460/830/1030 mm</p>	<p>The power starts from 18W of the table lamp until 64W of the big ceiling lamp. Voltage AC110 240V.</p>	
D-027	<p>Zhongshan Jumei Lighting Co Ltd</p> <p>Booth No: 3C-C12, HKCEC</p>	GUMDO	<p>Complete LED collection (ceiling lamp, hanging lamp, wall lamp) made with aluminum molded structure (available in different colors) and acrylic diffusers. This collection is perfect to be insert in every environment in reason of its very clear design.</p> <p>Size & Weight: lenght 420/625/900/1240 mm</p>	<p>The power starts from 17W of the small item until 47W of the bigger element. Voltage AC110 240V.</p>	

D-030	<p>Hong Kong Dick Po Lighting Co Ltd</p> <p>Booth No: 1D-B36, HKCEC</p>	89663-7	<p>high quality indoor decorative lighting, suitable for bar, restaurant, coffee shop, gallery etc.</p> <p>Size & Weight: Ø620*H1750</p>		
D-031	<p>Hong Kong Dick Po Lighting Co Ltd</p> <p>Booth No: 1D-B36, HKCEC</p>	89667-1	<p>high quality indoor decorative lighting, suitable for bar, restaurant, coffee shop, gallery etc.</p> <p>Size & Weight: Ø350*H700</p>		

D-032	Beacon International Ltd Booth No: 1E-E02, HKCE	Fanaway Ceiling Fan and LED Light Pendant	<p>FANAWAY® is an advanced retractable blades ceiling fan with unique aesthetics design. Switched off, the traditionally intrusive fan blades automatically retract and conceal, and visually the unit transforms into a slim, modern light pendant. Turning the fan on creates a centrifugal force which deploys the blades to circulate air within a room. It creates open space in the room environment, accumulates less dust, and is unobtrusive and versatile to visually integrate into most building interiors.</p> <p>Size & Weight: 112cm, 10kgs</p>	<p>FANAWAY is a retractable blades ceiling fan and modern LED light pendant. It has unique technology where you can choose between 3000K Warm White, 4000k Cool white and 5000K daylight color temperature by the supplied remote control. This LED light kit is dimmable.</p>	
D-033	Beacon International Ltd Booth No: 1E-E02, HKCEC	AKMANI	<p>Airfusion Akmani 152cm DC fan in brushed chrome with wooden teak blades, complete with 6 speed remote control.</p> <p>Size & Weight: 152cm, 5.2kgs</p>	<p>The Airfusion Akmani is a stylish 3 bladed energy efficient DC ceiling fan that comes complete with a 6 speed remote control and a high airflow of 222.7m3 per min.</p>	
D-034	Super Trend Lighting (Group) Ltd Booth No: 1C-F02, HKCEC	LED Filament Bulb	<p>This is an innovative and stylish series of COC LED bulb which is designed with classic light bulb size and shape. It offers high luminous efficiency which reaches the highest energy efficiency class of A++ in European standard.</p>	<p>It delivers natural lighting distribution that is more similar to a normal incandescent than the other LEDs. It is an ideal replacement of decorative incandescent bulbs which can be widely used in homes, restaurants, shops and hotels.</p>	



D-035	Top Star Hitech Ltd Booth No: 3B-C33	Floor Lamp	Floor lamp in antique design (Model ML-234-5)F Size & Weight: D550 H1840mm		 <p>ITEM NO.: ML0234-5 SPECIFICATION: D550 H1840 MM LIGHTING SOURCE: 25W E14 x 5</p> <p>N.W.: G.W.: PACKING SIZE: 150 x 65 x 65 CM</p>
D-036	Top Star Hitech Ltd Booth No: 3B-C33	Table Lamp	Floor lamp without antique design (Model ML-234-3) Size & Weight: D420 H840mm		 <p>ITEM NO.: ML0234-3 SPECIFICATION: D420 H840 MM LIGHTING SOURCE: 25W E14 x 3</p> <p>N.W.: G.W.: PACKING SIZE: 95 x 55 x 55 CM</p>
D-037	CE Lighting (HK) Ltd Booth No: 1D-E40	RectFlat™ Bi-Directional Dimmable LED Floor Light	Designed by DD Team of CE Lighting, the winner of world's top 3 design awards (Reddot, IF and IDEA). Ultra-Simple and flat design with Landlite's patented HALF Tubular soft light tech. inside, not only providing uniform lights, but also emanating a traditional scent. Size & Weight: (500mm*200mm*24mm)*H1850mm 10kg	Uniquely designed bi-directional light with three-positioned switch or smart-control accessory for dimming and changing color temperature - Ultrathin design, matte-finished aluminum body of 24mm thinness -Three kinds of surface cover design satisfy differ.	 <p>RectFlat™ Bi-Directional Dimmable LED Floor Light</p> <p>Landlite</p>




D-038	CE Lighting (HK) Ltd Booth No: 1D-E40	MagicBar™ 5W Touch-Dimmable Light Bar	Designed by DD Team of CE Lighting, the winner of world's top 3 design awards (Reddot, IF and IDEA). Creative simple style design, bringing you unlimited imagination, powered by either electricity or a power bank, you can use it anywhere in any way you like. Size & Weight: 500mm*378mm 0.2KG	Uniquely designed bi-directional light with three-positioned switch or smart-control accessory for dimming and changing color temperature - Ultrathin design, matte-finished aluminum body of 24mm thinness -Three kinds of surface cover design satisfy differ	
D-039	Malet (Hong Kong) Ltd Booth No: 3CON-048	Owl Lamp	Featured here is modern and innovative designed Kid Lamp or Ceiling lamp. Lighting for Kid's room. 1 pair of plastic toy eyes for enuser DIY & Wooden rim 1x 250mm glass shade, clear outside colorful , 2 x E27 lampholders. The color are change as your request and it 's welcome your OEM. Size & Weight: 336 x 382mm	DIY kid's lamp, it will be a nightlight with switch control. It is specially design for kids and Adult. The lamp is suitable to be used at children room, which does not require very bright light as nightlight.	
D-040	Malet (Hong Kong) Ltd Booth No: 3CON-048	Ladybug Lamp	Lighting for Kid's room. Wooden rim and 250mm glass shade, clear outside colorful , 2 x E27 lampholders. The color are change as your request and it 's welcome your OEM. Size & Weight: 342 x 355mm	DIY kid's lamp, it will be a nightlight with switch control. It is specially design for kids and Adult. The lamp is suitable to be used at children room, which does not require very bright light as nightlight.	




My Favourite Lighting Products Award 2015




我最喜愛照明產品大獎 2015




Entries of Outdoor Lighting
 戶外照明 - 參選產品





Ref	Exhibitor	Product Title	Product Description	Special Function	Product Photo
OL-001	Aeon Lighting Technology Inc Booth No: 1A-F12, HKCEC	Theseus Series Anti-explosive Lamp	<p>Patented aluminum extrusion design and specialized thermal conductive material further enhances thermal conductivity. The simple cassette mechanism are made of excellent thermal conductivity material, with the double-sided nature convection, creating an extraordinary high-performance of heat dissipation performance in a limited volume, and extending its service life.</p> <p>Size & Weight: 206mm*390mm*90mm / 7.2kg</p>	<ul style="list-style-type: none"> • Passed ATEX -Exd IIC T5、CNS、CE、RoHS、Laser, and other global certification. • High lumen brightness (128lm/watt) enhance safety for working environment. • Can be safely used in areas such as oil and natural gas drilling stations and refineries, mining facilities, etc. 	
OL-002	Alder Optomechanical Corp Booth No: 8-H07, AWE	Hall Light	<ul style="list-style-type: none"> • Aluminum casting equipped with a rotatable support for easy installation. • Various certifications meet international standard. • Saving up to 52% of energy consumption comparing with mercury vapor lamps. • Low heat emission achieve energy saving & carbon reduction. • Quick return on investment in the first few months of usage. <p>Size & Weight: 322x220x172mm, 5.3kg</p>	<ul style="list-style-type: none"> • IP66 design suitable for outdoor applications. • Up to 110 lm/W high system efficacy. • 1~10V Dimmable option available. 	


OL-003	<p>Alder Optomechanical Corp.</p> <p>Booth No: 8-H07, AWE</p>	High Bay Light	<ul style="list-style-type: none"> • Light weight design of Aluminum-magnesium alloy materials. • Equipped with a rotatable support for easy installation. • Various installation options suitable for different applications. • Saving up to 52% of energy consumption comparing with mercury vapor lamps • Low heat emission complies with energy saving & carbon reduction purposes. <p>Size & Weight: 368.3x372.1x187mm, 6.5kg</p>	<ul style="list-style-type: none"> • IP65 design suitable for outdoor applications. • Up to 120 lm/W high system efficacy. • 1~10V Dimmable option available. 	
OL-004	<p>Beghelli Asia Pacific Limited</p> <p>Booth No: 1D-C36, HKCEC</p>	SEF LED Floodlight	<ol style="list-style-type: none"> 1.Design by Italy, Elegant appearance, efficacy up to 105 lm/W 2.Body in anti-corrosion LM6 aluminum for European industrial application, with static electricity powder coating, resistant to corrosion and oxidation 3.Imported reflector in high purity aluminum, precise beam angle, good reflection. <p>Size & Weight: 190mm(L) *173mm (B) *75.5mm(H)</p>	<ol style="list-style-type: none"> 1. Micro-prismatic tempered glass diffuser, control glare effectively 2. Professional asymmetrical / symmetrical beam light distribution design to meet the different needs of floodlighting 3. Asymmetrical and symmetrical reflector are designed together. A key switch to adjust AS to SM. 4. Perfect to optimize the structure of the lamp body, easy installation and maintenance 	
OL-005	<p>Lorefar, S.L.</p> <p>Booth No: 1B-F22, HKCEC</p>	Grow	<p>Grow is a beacon ideal for outdoor lighting. Its amazing design and its perfect integration with the space are the highlights of this product. It can be used both for lighting and for decorating the garden with the plant that the user can insert inside the lamp.</p> <p>Size & Weight: 16*60CM & 1.8KG</p>	<p>Grow is ideal for lighting paths of the garden. It offers a kind of lighting perfect for this type of outdoor spaces.</p>	

OL-006	Highstar (HK) Industrial Co Ltd Booth No: 3C-C09, HKCEC	Camping Lamp with Bluetooth Speaker	1. Night light camping 2. Bluetooth audio player 3. Hand free function Size & Weight: 103.3*95*190.3mm&0.7KG	1. Water resistance level: IPX4 2. lamp with Bluetooth speaker	
OL-007	JEE (HK) Company Ltd Booth No: 1C-D11, HKCEC	ELBA	This waterproof light is suitable for outdoor use. It is fitted with an LED light source for excellent illumination. This LED light is made of top-grade aluminum for a long service life. Size & Weight: 248x128x130mm		
OL-008	Ningbo Eversising Import & Export Co Ltd Booth No: ED-A20, HKCEC	Mini iPad Flood Light	Super Slim Design Like The IPAD Whole Family 10w 20w 30w and 50w RA70,100LM/W CE-EMC & LVD Passed Driver TUV-CE ROHS Certificates Ready 10W-130*26*127mm/20W-30W-180*31*170mm/50W- Size & Weight: 290*41.5*270mm	Super Slim Design Like The IPAD Whole Family 10w 20w 30w and 50w RA70,100LM/W CE-EMC & LVD Passed Driver TUV-CE ROHS Certificates Ready	

OL-009	Nokero International Booth No: 1C-D34, HKCEC	N233	<p>The Nokero N233 is the world's most solar efficient light. It can run up to 15 hours after a day in the sun and shines up to 25 lumens bright. It is completely weatherproof and is perfect for general lighting, emergencies, camping and other activities where long lasting light is needed.</p> <p>Size & Weight: 10cm, 75 grams</p>	<p>The N233 is eco-friendly. It is completely solar and is the world's most efficient solar light. It is light weight and highly durable. It can be hung, carried as a torch, or used with its table top stand.</p>	
OL-010	Shenzhen Hitoplux Optoelectronic Co Ltd Booth No: 8-D37, AWE	LED High Bay Light	<ul style="list-style-type: none"> Patented design: Appearance Design Patent and Utility Model Patent. Patented heat dissipation system guarantees stable performance. Top Brand Philips LED from Netherlands with LM80 certificated. Selected constant current and voltage Mean Well driver with AC90-305V to fit most of different applications. <p>Designed to replace conventional LED High Bay Light and Metal Halide, HPS & Mercury Vapor, energy conservation and environment protection.</p> <p>Size & Weight: Φ445*H492mm/5.5kg</p>	<ol style="list-style-type: none"> The shape will not scratch our finger, with delicate design. With good heat dissipation. Passed CE/RoHS/UL/CUL certificate. 	
OL-011	Shenzhen Shengjing Optoelectronic Technology Co Ltd Booth No: 1A-A36	SMD LED High Bay UFO Series	<ol style="list-style-type: none"> High light output: 100~130LM/W; 4~7kgs only, half weight of the common high bay; Highest surface temperature is less than 68°C, by using external driver, SMD LED and high conductivity copper and AL combined heat sink; Three types of covers optional for different application: milky cover, clear cover and multi reflector; IP66 Waterproof; Reliable OSRAM/LG/EPISTAR SMD3030 LED and Mean well LED driver; <p>Size & Weight: 285mm 4-7kg</p>	<p>IP66 Waterproof Flexible installation, Hook/Bracket/Pole Mounted & Hook + Bracket mounted</p>	

OL-012	Shenzhen Shengjing Optoelectronic Technology Co Ltd Booth No: 1A-A36	SMD LED High Bay E40 Series	1) High light output: 100~130LM/W; 2) 3-5 kgs only, half weight of the common high bay; 3) Highest surface temperature is less than 68°C, by using external driver, SMD LED and high conductivity copper and AL combined heat sink; 4) Three types of covers optional for different application: milky cover, clear cover and multi reflector; 5) IP66 Waterproof; 6) Reliable OSRAM/LG/EPISTAR SMD3030 LED and Meanwell LED driver; Size & Weight: 285mm 3-5kg	PC Cover type/ Clear cover type/ Multi Reflector type-- the light is more concentrated, specially designed for 10~20meters high IP66 Waterproof Directly replace E39/E40 traditional lamp	
OL-014	Unilumin Technology (Hongkong) Limited Booth No: 1C-F18	Shark Street Light	The design concept of our Shark series LED street light is hommization & tool-free operation. All the light is based on the Europe outdoor lighting standard DIN 13201. Size & Weight: L692*W305*H135mm & 4.6KG	European Style, SAMSUNG & CREE LED, DIN 13201 Design Standard, Class II & 0-10V Dim PSU, Surge Arrestor:10kv, Intelligent Control System Option, Photocell optional, IK08; IP66	
OL-015	Vaxcel International Co Ltd Booth No: 3C-E17, HKCEC	Adjustable Low Level LED Motion Sensor Security Light	- Energy saving - Quick and easy installation - Tool less adjustment - 240 degree detection angle, detection range up to 21m - Adjustable time delay - Wall and eave mount - Weather -resistant for durability Size & Weight: 30.00H x 30.50W x 15.90E	- Two level and adjustable low level brightness - With 3/6 hours full brightness life style - Low level brightness is adjustable from 0% to 50% - At dusk, low level brightness turns on automatically, high level brightness turns on when motion is detected	

OL-017	Zhongshan Feihao Lighting Factory Booth No: 8-C36, AWE	LED Rechargeable Flood Light	<p>LED portable and chargeable floodlight was adopt Semiconductor lighting lamps of Electronic constant-current, it's no pollution ,and compared with incandescent light fluorescent lights, energy saving efficiency can running into 90%.under the same brightness, power consumption was only 1/10 of incandescent light 、 1/2 of fluorescent, it's a new energy-saving light 、 long life span lighting source. Mainly used in home 、 outdoor night activities 、 camp out 、 high way 、 port 、 building and etc.</p> <p>Size & Weight: 230*160*170mm</p>	<p>High light effect 、 long life span, start up quickly 、 energy saving 、 no flicker 、 no UV radiation, lamp housing is made by aluminum alloy die-cast 、 toughened glass. convenient to carry 、 automatic protection in charging, with car charger, and can adjust angle of light shine.</p>	
OL-018	Hangzhou Yongdian Illumination Co Ltd Booth No: ED-A15, HKCEC	勇電二次封裝 Φ20LED 地埋點光源	<p>This product is small and delicate. With reinforced structure design. It can be applied to extreme outdoor environment such as hot or humid condition. It can be used as light source for underwater lamps. It can transmit real-time image, text, video by connecting online computer, and it also can be controlled by offline machine with SD card.</p> <p>Size & Weight: Φ22*14.5 , 約 11 克/個</p>	<p>Fireproof Grade:V-0,extinguish immediately when it leaves the fire the fire source. Protect Grade: IP68, can be used underwater 20M.The Double Protection LED light will not crack by itself for using ten years in outdoor. It can be working well at -40℃.</p>	
OL-019	Hangzhou Yongdian Illumination Co Ltd Booth No: ED-A15, HKCEC	勇電 BT-25LED 洗牆燈	<p>This product has high flood light lens, the wall washer lighting height has been improved greatly. Built-in Double Production XT-25 linear light source, the waterproof protection grade reaches IP68; it can be directly used underwater, underground and on building façade. It is ultra narrow, ultra thin and ultra bright LED wall washer lights. This type of wall washer has delicate appearance, exquisite workmanship, excellent waterproof performance and high quality price ratio. It can be applied in swimming pool lighting, park terrace lighting, building wall lighting etc.</p> <p>Size & Weight: 998*37*51.7 , 約 961 克/套</p>	<p>Fireproof Grade: V-0,extinguish immediately when it leaves the fire the fire source. Protect Grade:IP68,can be used underwater 20M.The Double Protection LED light will not crack by itself for using ten years in outdoor. It can be working well at -40℃.</p>	
OL-020	Jiangsu Baode Lighting Equipment Co Ltd Booth No: 8-E10, AWE	Solar LED Street Light	<p>With Good quality and cheapest price which got CE ROHS Certificate for Solar Led street light</p>	<p>It's solar energy system, no need AC Power just use solar, can save more energy.</p>	

OL-021	Jiangsu Baode Lighting Equipment Co Ltd Booth No: 8-E10, AWE	High Mast Lighting	We're biggest manufactory for high mast lighting in Jiangsu Province, China.	Used for stadium plate ,High railway	
OL-022	AquaIDEA Ltd Booth No: 3CON-044, HKCEC	P150DECO Fountain LED Light	AquaIDEA provides the best pool and spa epoxy LED lighting for underwater application. Our epoxy-packaged LED lighting is designed especially for low power consumption and long working life. 100% waterproof and passes the Ip68 20M underwater requirement. That won't fall prey to corrosion, moisture or impact. The LED light is designed with Red, Green, Blue, White, Golden and RGB color changing. Adding a whole new luxury to your pool & spa experience.	It using the real stone for lighting decoration	